

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/075,488	02/12/2002	Brian N. Tufte	. 1076.1101107	8822
28075 7	7590 03/09/2004		EXAM	INER
CROMPTON, SEAGER & TUFTE, LLC			NEGRON, ISMAEL	
1221 NICOLL SUITE 800	ET AVENUE		ART UNIT	PAPER NUMBER
MINNEAPOL	MINNEAPOLIS, MN 55403-2420		2875	
			DATE MAILED: 03/09/2004	\$

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
Office Action Summany	10/075,488	TUFTE, BRIAN N.					
Office Action Summary	Examiner	Art Unit					
	Ismael Negron	2875					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONED	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 15 De	ecember 2003.						
<i>;</i>	· —						
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.					
Disposition of Claims							
4) Claim(s) 1 and 3-27 is/are pending in the application.							
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) <u>27</u> is/are allowed.							
6)⊠ Claim(s) <u>1,3-14 and 18-26</u> is/are rejected.							
7) Claim(s) <u>15-17</u> is/are objected to.							
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10)⊠ The drawing(s) filed on <u>12 February 2002</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.							
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage					
		×					
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 12/22/02.	Paper No(s)/Mail Da						

Art Unit: 2875

DETAILED ACTION

Response to Amendment

1. Applicant's amendment filed on December 15, 2004 has been entered. Claims 1, 12, 18, 23, 24 and 27 have been amended. No claim has been added or cancelled. Claims 1 and 3-27 are still pending in this application, with claims 1, 11, 12, 18, 23, 24, 26 and 27 being independent.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the legs being spaced along the length of the elongated member (claim 8) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/075,488

Art Unit: 2875

3. Claims 1-8, 11-14 and 23-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over BROOKMAN (U.S. Pat. 5,337,225).

BROOKMAN discloses an illumination device having:

- an elongated member having a cavity, Figure 4, reference number 82;

Page 3

- en elongated light source for being received in the cavity,
 Figure 4, reference number 74;
- the cavity being at least partially defined by a material that is
 at least partially transparent, Figure 4, reference number 86;
- the cavity being also at least partially defined by a material that is at least substantially non-transparent, Figure 4, reference number 84;
- the elongated member having two legs adapted to secure the elongated member to a support member, Figure 4, reference numbers 90 and 92;
- the first material and the second material being integrally
 formed, Figure 4 and column 3, lines 61-63;
- the first and second material being formed separately and
 secured later together, Figure 4;
- the legs extending continuously along the length of the member, columns 3 and 4, lines 65-67 and 1-3, respectively; and

Art Unit: 2875

- the elongated member being made of a elastomeric material, column 3, lines 61 and 62.

In addition, BROOKMAN discloses a second embodiment having:

- an elongated member having a cavity, Figure 2, reference number 32;
- en elongated light source for being received in the cavity,
 Figure 2, reference number 24;
- the cavity being at least partially defined by a material that is at least partially transparent, Figure 2, reference number 36;
- the cavity being also at least partially defined by a material that is at least substantially non-transparent, Figure 2, reference number 34;
- **a support member**, Figure 2, reference number 40;
- the support member having two legs adapted to secure the
 elongated member, Figure 2, reference numbers 42;
- the legs engaging the back surface of the elongated member,
 column 3, lines 25-28; and
- the legs having laterally extending teeth, Figure 2.

BROOKMAN discloses all the limitations of the claims, except the elongated member including legs with laterally extending teeth for securing the elongated member to a back surface of a relatively flat substrate.

Art Unit: 2875

It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to use the legs with laterally extending teeth of the support member of BROOKMAN to secure the elongated member to the support member, but also to secure such support member to a relatively flat substrate, since the use of such legs is old and well known in the art as evidenced by BROOKMAN. In addition, BROOKMAN states that the support member could be fastened by any of the mechanical fasteners known in the art, of which the disclosed legs is merely one.

4. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over BROOKMAN (U.S. Pat. 5,337,225).

BROOKMAN discloses, or suggests (see Section 3 of the instant Office Action), all the limitations of the claims, except the elongated light source being an electro luminescent wire (ELEW) or a linear emitting fiber (LEF).

The examiner takes Official Notice that the use of ELEW and LEF is old and well known in the illumination art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute an ELEW or LEF for the light source in the system of BROOKMAN. One would have been motivated since ELEW are recognized in the illumination art to have many desirable advantages, including high efficiency, low power consumption, long life, resistance to vibrations, and low heat production, over other light sources.

Art Unit: 2875

5. Claims 18-20 is rejected under 35 U.S.C. 103(a) as being unpatentable over BROOKMAN (U.S. Pat. 5,337,225).

BROOKMAN discloses an illumination device having:

- a relatively planar substrate, Figure 2, reference number 40;
- an elongated member having a cavity, Figure 2, reference number 32;
- en elongated light source for being received in the cavity,
 Figure 2, reference number 24;
- the cavity being at least partially defined by a material that is at least partially transparent, Figure 2, reference number 36;
- the cavity being also at least partially defined by a material that is at least substantially non-transparent, Figure 2, reference number 34;
- the substrate having two legs adapted to secure the elongated member, Figure 2, reference number 42;
- the first material and the second material being integrally formed, Figure 4 and column 3, lines 61-63;
- the first and second material being formed separately and
 secured later together, Figure 4;
- the legs extending continuously along the length of the substrate, columns 3 and 4, lines 65-67 and 1-3, respectively;

Application/Control Number: 10/075,488

Art Unit: 2875

- the elongated member being made of a elastomeric material, column 3, lines 61 and 62

Page 7

- the legs having a laterally extending tooth, Figure 1, reference number 42.

BROOKMAN discloses all the limitations of the claims, except the substrate including a material that can be initially provided in a liquid or semi-liquid state, and then cured or hardened to a more solid state around the legs.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the legs of BROOKMAN into the elongated member instead of the substrate, since it has been held that rearranging or reversal parts of a prior art structure involves only routing skill in the art. *In re Japikse*, 86 USPQ 70, and *In re Gazda*, 219 F.2d 449, 104 USPQ 400 (CCPA 1955)

In addition, it would have been obvious to one of ordinary skill in the art at the time the invention was made that the material used by BROOKMAN (e.g. polymeric materials) can be initially provided in a liquid or semi-liquid state, and then cured or hardened to a more solid state around the legs. See column 4, lines 10-12 of BROOKMAN.

6. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over BROOKMAN (U.S. Pat. 5,337,225).

BROOKMAN discloses, or suggests (see Section 5 of the instant Office Action), all the limitations of the claims, except the elongated light source being an electro luminescent wire (ELEW) or a linear emitting fiber (LEF).

Art Unit: 2875

The examiner takes Official Notice that the use of ELEW and LEF is old and well known in the illumination art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute an ELEW or LEF for the light source in the system of BROOKMAN. One would have been motivated since ELEW are recognized in the illumination art to have many desirable advantages, including high efficiency, low power consumption, long life, resistance to vibrations, and low heat production, over other light sources.

Allowable Subject Matter

- 7. Claim 27 is allowed.
- 8. Claims 15-17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 9. The following is a statement of reasons for the indication of allowable subject matter:

Applicant teaches a lighting apparatus having an elongated body having a removable portion with a cavity for receiving an elongated light source. The removable portion being adapted to be selectively removable from the remainder of the elongated body a cavity to provide access to the elongated light source.

Art Unit: 2875

No prior art was found teaching individually, or suggesting in combination, all of the features of the applicants' invention, specifically elongated body having the claimed removable portion.

Response to Arguments

- 10. Applicant's arguments filed December 15, 2003 have been fully considered but they are not persuasive.
- 11. Regarding the Examiner's rejection of claims 1, 12, 18 and 23 under 35 U.S.C. 103(a) as unpatentable over BROOKMAN, the Applicant argues that the cited reference fails to disclose all the features of the claimed invention, specifically the elongated member having legs that extend into the relatively planar substrate. In addition, the Applicant argues that the first and second materials cannot be integrally formed and separately formed and later secured together, as such statements are mutually exclusive.
- 12. In response to this argument the Examiners directs the Applicant to Figure 2 of BROOKMAN. An elongated member 32 is attached to a support member 40 by means of a plurality of legs 42, such legs having teeth projecting laterally from such legs 42. Using such leg structure to attach the support member not only to the elongated member 32 but also to the substrate 38, would have flown naturally to one of ordinary skill in the art to simplify such attachment.

Art Unit: 2875

- 13. In response to the "integrally formed" argument, the Applicant is advised that it has been held that the term "integral" is sufficiently broad to embrace construction means such as fastening, gluing and welding. In re Hotte, 177 USPQ 326, 328 (CCPA 1973). In this case, while both the first and second materials might have being formed separately, BROOKMAN discloses the elongated member as a single, integral, structure formed by both the first and second materials.
- 14. Regarding the Examiner's rejection of claim 23 under 35 U.S.C. 103(a) as unpatentable over BROOKMAN, the Applicant further argues that the cited reference fails to provide motivation for the proposed modification, and that the patented structure includes a plurality of elements which prevent such modification.

In response to this argument it is noted that the claimed invention structure, as defined by claim 23, does not includes an elongated light source. Claim 23 defines a lighting apparatus with the indented use (emphasis added) of receiving an elongated light source.

However, even if (in arguendo) such elongated light source is considered as a critical element of the claimed invention the light source structure of BROOKMAN is considered to meet the claim limitations. Individual light sources 74 form, when taken as a group, an elongated light source for the patented structure.

Even further, substituting the light source of BROOKMAN with the specific light source claimed by the Applicant would have been an obvious improvement since such light sources are widely recognized to be more flexible, efficient and longer lasting than the light sources of BROOKMAN.

Art Unit: 2875

Regarding the cited reference having a plurality of elements which prevent the proposed modification, the Applicant is reminded that the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art.

See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). In this case removing the light sources of BROOKMAN and placing the claimed light source in its place would have not required the removal of the oppositely charge wires of BROOKMAN, but even if it did such modification would have required nothing more than ordinary skill in the art.

15. Regarding the Examiner's rejection of claim 8 under 35 U.S.C. 103(a) as unpatentable over BROOKMAN, the Applicant argues that the cited reference fails to disclose all the features of the claimed invention, specifically the legs being spaced along the length of the elongated member.

BROOKMAN discloses (Figure 2) a pair of legs 42 being spaced from one another, but fails to indicate if such legs are continuous body along the length of the elongated member 32, or a plurality of separated elements. It is the Examiner's opinion that using a continuous leg or a plurality of discrete leg would have being an obvious matter of design choice dictated by the particulars requirements of any given application and that the structure disclosed by BROOKMAN would function equally well with each alternative. Such lack of criticality is suggested by BROOKMAN's broad disclosure. It is

Art Unit: 2875

also noted that the applicant's own disclosure fails to provide a functional difference between both structures, further suggesting their functional equivalence.

Conclusion

16. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ismael Negron whose telephone number is (571) 272-2376. The examiner can normally be reached on Monday-Friday from 9:00 A.M. to 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea, can be reached at (571) 272-2378. The facsimile machine number for the Art Group is (703) 872-9306.

Art Unit: 2875

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications maybe obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, go to http://pair-direct.uspto.gov. Should you have questions on access to Private PAIR system, contact the Electronic Business Center (EBC) toll-free at 866-217-9197.

ALAN CARIASO PRIMARY EXAMINED

Inr

February 26, 2004